

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dalby

report date 25 Nov 2015

Yarding Change 5822
166

comparison date 18/11/2015

The larger yarding sold to a full panel of buyers. Apart from some consignments of poor condition cows the overall quality of the remainder of the yarding was generally fair to good. Light yearling steers to restockers continued to attract stronger demand and average prices improved by a further 20c/kg. Medium weight yearling steers to feed averaged 3c better and heavy weights gained 1c to 2c/kg. Prices for light yearling heifers varied in places according to quality however the better lines generally sold to a firm market. Heavy grown steers and bullocks to export slaughter sold to strong demand and cows followed a similar trend to remain close to the previous week's level.

Calves returning to the paddock made to 362.2c, with most around 343c/kg. Light yearling steers to restockers made to 374.2c, with the largest numbers around 359c/kg. Medium weight yearling steers to feed averaged 341c and made to 352.2c/kg. Heavy weights to feed mostly sold in the mid-330c range with some to 340.2c/kg. Light yearling heifers to feed averaged 397c, while those returning to the paddock made to 330c/kg. Medium weights to feed averaged 3c dearer at 315c and made to 333.2c/kg. Heavy weights to feed made to 323.2c, with most around 295c/kg.

Heavy grown steers made to 308.2c to average 302c and bullocks averaged 296c and made to 304.2c/kg. Medium weight 2 score cows averaged 226c and the 3 scores returned 236c/kg. Good heavy cows averaged 258c and sold to 268.2c/kg. Heavy bulls made to 291.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	2	99	318.0	- 362.2	343.7	3	-	-	-	429	- 528	475
	RS	D	2	66	280.0	- 326.2	308.3	-34	-	-	-	394	- 518	442
				165	280.0	362.2			0	0		394	528	
Vealer Steer														
200-280	RS	C	2	7	368.2	- 368.2	368.2	N/Q	-	-	-	865	- 865	865
				7	368.2	368.2			0	0		865	865	
Vealer Heifer														
200-280	FD	C	2	42	315.2	- 315.2	315.2	N/Q	-	-	-	867	- 867	867
				42	315.2	315.2			0	0		867	867	
Yearling Steer														
200-280	FD	C	2	107	330.0	- 369.2	345.6	-13	-	-	-	766	- 1015	856
	RS	C	2	197	341.2	- 374.2	358.8	19	-	-	-	743	- 928	838
	RS	D	2	42	268.2	- 316.2	309.3	1	-	-	-	617	- 838	746
280-330	RS	C	2	37	332.2	- 363.2	348.4	2	-	-	-	947	- 1035	1001
	FD	C	2	55	330.2	- 359.2	343.7	-19	-	-	-	991	- 1078	1018
		C	3	12	364.2	- 364.2	364.2	N/Q	662	- 662	662	1038	- 1038	1038
	FD	D	2	6	306.2	- 306.2	306.2	N/Q	-	-	-	919	- 919	919
330-400	FD	C	2	249	322.2	- 352.2	340.9	3	-	-	-	1079	- 1272	1214
	RS	C	2	30	318.2	- 340.0	324.0	2	-	-	-	1114	- 1190	1134
	FD	C	3	169	331.2	- 346.2	338.9	-3	-	-	-	1173	- 1302	1259
	RS	D	1	9	242.0	- 242.0	242.0	N/Q	-	-	-	932	- 932	932
	FD	D	2	10	309.2	- 318.2	314.6	12	-	-	-	1082	- 1146	1120
400+	FD	C	2	180	316.2	- 335.2	331.2	2	-	-	-	1344	- 1420	1382
	FD	C	3	396	317.2	- 340.2	335.1	1	-	-	-	1348	- 1517	1438

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	9	305.2	- 305.2	305.2	-7	555	- 555	555	1480	- 1480	1480
	FD	C	4	4	217.2	- 217.2	217.2	N/Q	-	-	-	945	- 945	945
	FD	D	2	26	264.2	- 310.0	285.3	N/Q	-	-	-	1123	- 1318	1213
					1538	217.2	374.2		555	662		617	1517	
Yearling Heifer														
200-280	RS	C	2	183	276.2	- 330.0	310.9	-1	-	-	-	626	- 848	713
		C	2	8	306.2	- 306.2	306.2	N/Q	567	- 567	567	720	- 720	720
	FD	C	2	290	270.2	- 324.2	296.9	-14	-	-	-	656	- 859	745
	RS	C	4	5	264.2	- 264.2	264.2	N/Q	-	-	-	621	- 621	621
	RS	D	2	27	254.2	- 266.2	261.2	N/C	-	-	-	572	- 705	615
280-330	FD	C	2	51	272.2	- 308.2	291.3	-14	-	-	-	776	- 878	844
	RS	C	2	11	314.2	- 314.2	314.2	N/Q	-	-	-	927	- 927	927
	FD	D	2	12	261.2	- 261.2	261.2	N/Q	-	-	-	784	- 784	784
330-400		C	2	12	300.2	- 300.2	300.2	N/Q	556	- 556	556	1156	- 1156	1156
	FD	C	2	280	280.2	- 333.2	315.4	3	-	-	-	979	- 1187	1120
	RS	C	3	16	286.2	- 286.2	286.2	N/Q	-	-	-	1102	- 1102	1102
	FD	C	3	140	270.2	- 332.2	314.6	-4	-	-	-	986	- 1279	1175
		C	3	58	277.2	- 310.2	297.5	-11	513	- 574	551	970	- 1163	1079
	FD	D	2	33	257.2	- 269.2	261.6	-17	-	-	-	868	- 942	927
400+	FD	C	2	62	280.0	- 319.2	303.8	-6	-	-	-	1218	- 1389	1321
	RS	C	2	14	306.2	- 306.2	306.2	N/Q	-	-	-	1332	- 1332	1332
	FD	C	3	203	278.2	- 323.2	295.3	-11	-	-	-	1147	- 1369	1254
		C	3	105	272.2	- 303.2	292.0	-9	504	- 562	541	1151	- 1364	1263
					1510	254.2	333.2		504	574		572	1389	
Grown Steer														
0-400	FD	D	2	26	278.2	- 278.2	278.2	N/Q	-	-	-	974	- 1071	1026
400-500	FD	C	2	37	291.2	- 318.2	307.3	N/Q	-	-	-	1312	- 1412	1361
	FD	C	3	63	300.0	- 320.2	308.6	-2	-	-	-	1275	- 1441	1340
		C	3	8	286.2	- 294.2	291.2	-26	520	- 535	530	1250	- 1288	1264
500-600	FD	C	2	6	277.2	- 277.2	277.2	N/Q	-	-	-	1455	- 1455	1455
		C	3	11	285.2	- 289.2	285.9	4	519	- 526	520	1526	- 1692	1556
		C	4	191	290.0	- 308.2	302.1	8	518	- 550	540	1617	- 1784	1732
600-750		C	3	12	279.2	- 279.2	279.2	-7	508	- 508	508	1815	- 1815	1815
		C	4	233	283.2	- 304.2	296.5	3	506	- 543	530	1770	- 2205	1942
		D	3	4	257.2	- 257.2	257.2	N/Q	468	- 468	468	1633	- 1633	1633
					591	257.2	320.2		468	550		974	2205	
Grown Heifer														
0-540		C	3	21	258.2	- 271.2	261.9	7	487	- 522	496	1144	- 1381	1288
		C	4	29	274.2	- 276.2	275.2	N/Q	521	- 527	524	1453	- 1478	1466
		D	2	9	220.0	- 220.0	220.0	-19	458	- 458	458	968	- 968	968
540+		C	4	15	268.2	- 277.2	272.3	N/Q	506	- 533	523	1515	- 1615	1600
					74	220.0	277.2		458	533		968	1615	
Manufacturing Steer														
540+		C	3	2	260.0	- 260.0	260.0	N/Q	473	- 473	473	1690	- 1690	1690
		C	4	7	276.2	- 281.2	280.4	-11	493	- 511	509	1827	- 1933	1842

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	5	1	264.2	- 264.2	264.2	N/Q	480	- 480	480	2114	- 2114	2114
				10	260.0	281.2			473	511		1690	2114	
Cows														
0-400		D	1	7	160.0	- 196.2	181.2	6	364	- 446	412	632	- 716	669
	RS	D	1	140	178.0	- 217.2	195.6	N/Q		-		672	- 869	777
		D	2	11	198.2	- 200.0	198.7	-15	431	- 435	432	783	- 800	788
		E	1	6	114.2	- 114.2	114.2	-26	260	- 260	260	417	- 417	417
400-520		D	1	3	227.2	- 227.2	227.2	23	494	- 494	494	988	- 988	988
	RS	D	1	54	197.2	- 225.0	218.9	3		-		858	- 979	952
		D	2	89	214.2	- 235.2	226.4	N/C	466	- 511	488	919	- 1094	1023
		D	3	88	230.0	- 243.2	236.8	-2	469	- 496	483	1032	- 1179	1069
		D	4	109	242.2	- 254.2	246.4	-2	475	- 498	483	1058	- 1216	1124
520+		D	1	1	216.2	- 216.2	216.2	N/Q	491	- 491	491	1157	- 1157	1157
		D	2	16	229.2	- 238.2	237.1	N/Q	498	- 518	515	1226	- 1274	1268
		D	3	46	234.2	- 254.2	243.9	-1	478	- 519	498	1253	- 1373	1312
		D	4	262	245.0	- 268.2	258.3	N/C	480	- 526	506	1311	- 1690	1483
		D	5	8	246.2	- 246.2	246.2	27	483	- 483	483	1477	- 1477	1477
				840	114.2	268.2			260	526		417	1690	
Bulls														
0-450	RS	C	2	79	294.2	- 314.2	309.7	N/Q		-		691	- 1050	752
	FD	C	2	106	300.0	- 337.2	311.4	25		-		742	- 1233	976
		C	2	3	280.2	- 312.0	301.4	N/Q	510	- 567	548	1023	- 1139	1100
		C	3	9	312.2	- 312.2	312.2	30	568	- 568	568	1405	- 1405	1405
	FD	C	3	23	305.2	- 316.2	312.3	N/Q		-		1125	- 1387	1274
	RS	D	2	12	256.2	- 256.2	256.2	-14		-		679	- 679	679
	FD	D	2	1	220.2	- 220.2	220.2	N/Q		-		804	- 804	804
450-600		C	3	4	285.2	- 285.2	285.2	4	509	- 509	509	1412	- 1412	1412
600+		C	2	3	225.2	- 225.2	225.2	N/Q	410	- 410	410	1464	- 1464	1464
		C	3	154	234.2	- 291.2	269.1	5	418	- 520	481	1522	- 2893	2011
	RS	D	2	1	210.2	- 210.2	210.2	N/Q		-		1314	- 1314	1314
				395	210.2	337.2			410	568		679	2893	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.