

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dalby

report date 26 Oct 2016

Yarding Change 3945
-725

comparison date 19/10/2016

Numbers eased back from the high levels of the previous week and a few consignments from far western districts were once again included in the line-up. Buyer attendance was generally good however most were operating on reduced prices. Light weight yearling steers returning to the paddock averaged 17c/kg less. Medium and heavy weight yearling steers to feed were 2c to 10c/kg cheaper. The yearling heifer portion to feed and restockers lost around 12c to 15c/kg. Heavy grown steers to export slaughter averaged 7c less while a small selection of bullocks lost 20c/kg. Cows also sold to a cheaper trend to lose a further 9c to 11c/kg with the plain condition lines the least affected.

Steer calves returned to the paddock made to 418.2c with mixed sex calves averaging 381c/kg. Light weight yearling steers to restockers made to 424.2c with a fairly large sample averaging 392c/kg. Medium weight yearling steers to feed mostly sold around 359c with some to 377.2c/kg. Heavy weight yearling steers to feed made to 356.2c to average 352c/kg. Light weight yearling heifers to restockers averaged 359c the occasional pen reaching 382.2c/kg. The largest numbers of medium weight yearling heifers to feed averaged 335c and sold to 364.2c/kg. Heavy weights to feed averaged 309c and local trade lines made to 338.2c to average 333c/kg.

Heavy grown steers to export slaughter made to a top of 332.2c with most around 305c and bullocks made to 304.2c to average 387c/kg. Medium weight 2 score cows returning to the paddock averaged 230c while the 3 scores to processors averaged 229c/kg. Good heavy cows made to 262.2c with a large sample at 243c/kg. Heavy bulls made to 282.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	5	350.0	- 350.0	350.0	N/Q	660	- 660	660	648	- 648	648
	RS	C	2	25	348.2	- 418.2	381.5	-43		-		565	- 696	608
				30	348.2	418.2			660	660		565	696	
Vealer Heifer														
200-280		C	2	5	362.0	- 362.0	362.0	-9	670	- 670	670	851	- 851	851
				5	362.0	362.0			670	670		851	851	
Yearling Steer														
200-280		C	2	8	376.2	- 376.2	376.2	N/Q	684	- 684	684	1035	- 1035	1035
	FD	C	2	24	368.2	- 380.2	378.3	N/Q		-		921	- 951	946
	RS	C	2	349	362.2	- 424.2	391.8	-17		-		815	- 1001	932
	RS	D	2	27	320.0	- 340.0	336.0	17		-		761	- 901	868
280-330	FD	C	2	5	389.2	- 389.2	389.2	N/C		-		1148	- 1148	1148
	RS	C	2	9	381.2	- 381.2	381.2	N/Q		-		1125	- 1125	1125
330-400	FD	C	2	350	337.2	- 377.2	359.2	-10		-		1240	- 1387	1308
	FD	C	3	20	345.2	- 357.2	348.8	-20		-		1329	- 1375	1343
	RS	D	2	6	335.0	- 335.0	335.0	N/Q		-		1173	- 1173	1173
	FD	D	2	6	338.0	- 338.0	338.0	-13		-		1183	- 1183	1183
400+	FD	C	2	91	333.2	- 352.2	340.9	-14		-		1416	- 1679	1474
	FD	C	3	305	334.2	- 356.2	352.6	-2		-		1488	- 1708	1573
		C	3	61	330.0	- 345.0	337.6	N/Q	600	- 627	614	1437	- 1606	1543
				1261	320.0	424.2			600	684		761	1708	
Yearling Heifer														
200-280		C	2	36	354.2	- 372.2	366.2	6	656	- 689	678	765	- 973	848
	FD	C	2	17	340.2	- 362.2	346.7	-15		-		833	- 887	849

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	RS	C	2	181	336.2	- 382.2	358.9	-12	-			740	- 875	809
	RS	D	2	30	300.2	- 326.2	314.6	N/Q	-			660	- 729	700
		D	2	9	330.0	- 330.0	330.0	N/Q	611	- 611	611	726	- 726	726
280-330		C	2	35	328.2	- 328.2	328.2	-24	608	- 608	608	935	- 935	935
330-400	FD	C	2	159	304.2	- 364.2	335.5	-14	-			1039	- 1275	1153
	FD	C	3	46	335.0	- 363.2	351.4	N/Q	-			1173	- 1298	1235
	RS	C	3	5	302.2	- 302.2	302.2	N/Q	-			1163	- 1163	1163
		C	3	10	320.0	- 340.2	328.1	-2	593	- 630	608	1191	- 1232	1215
		D	2	99	259.2	- 292.2	280.0	N/Q	480	- 541	519	907	- 1016	968
	FD	D	2	20	256.2	- 290.0	269.7	N/Q	-			961	- 1015	982
400+		C	2	6	312.0	- 312.0	312.0	N/Q	578	- 578	578	1326	- 1326	1326
	FD	C	2	2	312.0	- 312.0	312.0	N/Q	-			1326	- 1326	1326
	FD	C	3	81	300.0	- 322.2	309.7	-15	-			1276	- 1438	1383
		C	3	28	324.2	- 338.2	332.9	9	600	- 626	617	1410	- 1471	1448
	FD	D	2	6	250.0	- 268.2	259.1	-27	-			1063	- 1140	1101
		D	3	3	266.2	- 266.2	266.2	N/Q	493	- 493	493	1158	- 1158	1158
				773	250.0	382.2			480	689		660	1471	
Grown Steer														
0-400		D	2	12	248.2	- 258.2	252.2	N/Q	451	- 470	459	869	- 994	949
	RS	D	2	5	228.2	- 228.2	228.2	N/Q	-			879	- 879	879
400-500	FD	C	2	7	280.2	- 280.2	280.2	-66	-			1359	- 1359	1359
	FD	C	3	50	293.2	- 330.0	319.5	4	-			1319	- 1592	1473
		C	3	5	332.2	- 332.2	332.2	N/Q	604	- 604	604	1495	- 1495	1495
		C	4	9	291.2	- 291.2	291.2	N/Q	520	- 520	520	1412	- 1412	1412
	FD	D	2	20	274.2	- 304.2	284.1	N/Q	-			1193	- 1340	1298
500-600		C	3	23	261.2	- 280.2	273.2	-20	475	- 500	493	1397	- 1626	1527
		C	4	109	285.2	- 332.2	304.9	-7	509	- 593	544	1512	- 1877	1679
600-750		C	3	7	268.2	- 268.2	268.2	N/Q	488	- 488	488	1690	- 1690	1690
		C	4	29	283.2	- 304.2	287.7	-21	506	- 543	514	1786	- 1933	1848
				276	228.2	332.2			451	604		869	1933	
Grown Heifer														
0-540		C	3	26	263.2	- 285.2	269.0	6	497	- 538	508	1121	- 1412	1249
	FD	C	3	30	280.0	- 288.2	283.9	9	-			1162	- 1398	1284
		C	4	16	260.0	- 280.2	271.9	-4	491	- 529	513	1300	- 1445	1342
	FD	D	2	8	203.2	- 203.2	203.2	N/Q	-			711	- 711	711
	RS	D	2	12	248.2	- 248.2	248.2	N/Q	-			869	- 869	869
		D	2	23	228.2	- 265.2	241.8	N/Q	475	- 553	504	799	- 1127	938
		D	4	3	260.0	- 260.0	260.0	N/Q	491	- 491	491	1391	- 1391	1391
				118	203.2	288.2			475	553		711	1445	
Manufacturing Steer														
540+		C	4	10	270.2	- 282.2	271.4	-11	483	- 513	486	1797	- 1834	1801
				10	270.2	282.2			483	513		1797	1834	
Cows														
0-400	RS	D	1	6	200.0	- 200.0	200.0	-6	-			800	- 800	800
		D	1	5	172.2	- 172.2	172.2	N/Q	391	- 391	391	629	- 629	629

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400-520	RS	E	1	4	100.0	- 100.0	100.0	N/Q	227	- 227	227	365	- 365	365	
		D	1	3	201.2	- 201.2	201.2	N/Q	-	-	-	855	- 855	855	
		D	1	2	150.2	- 168.2	159.2	N/Q	341	- 382	362	653	- 732	693	
	RS	D	2	9	218.0	- 220.2	219.5	21	474	- 479	477	948	- 991	977	
		D	2	59	214.2	- 237.2	230.2	-5	-	-	-	932	- 1103	1061	
		D	3	8	228.2	- 228.2	228.2	N/Q	-	-	-	1061	- 1061	1061	
		D	3	39	225.0	- 232.2	229.7	-3	459	- 474	469	979	- 1080	1028	
520+	D	4	88	232.2	- 247.2	238.5	-9	437	- 485	466	1032	- 1199	1140		
		2	2	213.2	- 213.2	213.2	N/Q	464	- 464	464	1162	- 1162	1162		
	D	3	53	227.2	- 236.2	234.0	-2	464	- 482	478	1220	- 1376	1303		
		4	289	235.2	- 262.2	243.0	-11	461	- 514	477	1258	- 1758	1428		
		5	4	190.2	- 230.0	220.1	2	388	- 469	449	1075	- 1380	1304		
					571	100.0	262.2		227	514		365	1758		
Bulls															
0-450	RS	C	2	75	326.2	- 396.2	353.3	5	-	-	-	818	- 971	865	
		FD	C	2	12	310.0	- 330.2	322.4	-24	-	-	-	864	- 1403	1266
		FD	C	3	18	315.0	- 330.2	324.7	-15	-	-	-	1271	- 1378	1321
450-600	C	3	4	242.2	- 243.2	242.7	-22	433	- 434	433	1301	- 1368	1335		
600+		C	2	3	231.2	- 238.0	233.5	-3	420	- 425	422	1666	- 1965	1865	
600+	RS	C	3	1	300.0	- 300.0	300.0	N/Q	-	-	-	2085	- 2085	2085	
		C	3	65	235.2	- 282.2	255.0	-9	420	- 504	455	1542	- 2732	2084	
					178	231.2	396.2		420	504		818	2732		

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.