

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Roma Store

report date 21 Mar 2017

Yarding Change 6144
-1992

comparison date 14/03/2017

There was a yarding of 6,144 head at the Roma Store Sale today a drop of around 2,000 head on last week. Quality fluctuated however with the cancellation of Emerald and Gracemere sales due to wet weather the battle was on especially for heavy cows to slaughter. All buyers were present and operating and local restockers were out and about enjoying the promising overcast sky and breeze providing a cool reprieve.

Steers under the 280kg range made to 412.2c to average 356c/kg. Steers to restockers weighing 280 - 350kg made to 386.2c to average 336c and the 350 - 400kg range made to 342.2c, to average 312c/kg. Steers to slaughter over 400kg made to an average of 278c/kg. The majority of quality heifers fell in the 220 - 280kg range to reach an average of 352c/kg.

Bulls under 400kg made to 328.2c to average 286c and the heavy bulls over 400kg made to 310.2c//kg. Fat cows reached 236c, while 2 score cows made to 230c/kg.

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|-----------------------|-------------|--------------|-----------|------------|------------------|--------------|-------|--------|-------------------------------|----------|------|-------------------|------------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| Calves | | | | | | | | | | | | | | |
| 80+ | RS | C | 2 | 72 | 352.0 | - 398.0 | 381.6 | 19 | - | - | - | 669 | - 756 | 725 |
| | RS | C | 3 | 58 | 384.0 | - 388.0 | 387.1 | 37 | - | - | - | 730 | - 737 | 736 |
| | | | | 130 | 352.0 | 398.0 | | | 0 | 0 | | 669 | 756 | |
| Yearling Steer | | | | | | | | | | | | | | |
| 0-200 | RS | C | 2 | 24 | 398.0 | - 398.0 | 398.0 | N/Q | - | - | - | 756 | - 756 | 756 |
| | RS | C | 3 | 1 | 288.0 | - 288.0 | 288.0 | N/Q | - | - | - | 518 | - 518 | 518 |
| 200-280 | 1X | C | 2 | 2 | 352.0 | - 352.0 | 352.0 | N/Q | 640 | - 640 | 640 | 880 | - 880 | 880 |
| | RS | C | 2 | 135 | 268.0 | - 378.0 | 353.6 | 71 | - | - | - | 590 | - 1008 | 861 |
| | FD | C | 3 | 22 | 322.0 | - 322.0 | 322.0 | -49 | - | - | - | 773 | - 773 | 773 |
| 280-330 | RS | C | 3 | 514 | 262.0 | - 414.0 | 355.8 | -25 | - | - | - | 704 | - 1159 | 969 |
| | | C | 4 | 26 | 258.0 | - 294.0 | 292.6 | N/Q | 469 | - 535 | 532 | 722 | - 823 | 819 |
| | | C | 2 | 6 | 310.0 | - 310.0 | 310.0 | N/Q | 564 | - 564 | 564 | 930 | - 930 | 930 |
| | FD | C | 2 | 70 | 320.0 | - 356.0 | 332.6 | N/Q | - | - | - | 1024 | - 1139 | 1064 |
| | RS | C | 2 | 31 | 290.0 | - 326.0 | 313.6 | N/Q | - | - | - | 870 | - 1043 | 979 |
| 330-400 | RS | C | 3 | 175 | 296.0 | - 370.0 | 334.4 | -22 | - | - | - | 888 | - 1165 | 1032 |
| | FD | C | 3 | 72 | 310.0 | - 366.0 | 345.1 | 21 | - | - | - | 992 | - 1171 | 1104 |
| | RS | C | 4 | 67 | 302.0 | - 342.0 | 329.2 | -28 | - | - | - | 966 | - 1067 | 1044 |
| | RS | C | 2 | 59 | 320.0 | - 350.0 | 337.8 | N/Q | - | - | - | 1102 | - 1190 | 1161 |
| | FD | C | 2 | 6 | 310.0 | - 310.0 | 310.0 | N/Q | - | - | - | 1085 | - 1085 | 1085 |
| 400+ | RS | C | 3 | 285 | 298.0 | - 395.0 | 360.6 | N/Q | - | - | - | 1013 | - 1501 | 1342 |
| | FD | C | 3 | 84 | 312.0 | - 338.0 | 325.1 | N/Q | - | - | - | 1142 | - 1251 | 1196 |
| | RS | C | 4 | 73 | 316.0 | - 352.0 | 333.3 | N/Q | - | - | - | 1106 | - 1232 | 1166 |
| | RS | C | 2 | 33 | 280.0 | - 298.0 | 288.2 | N/Q | - | - | - | 1260 | - 1341 | 1297 |
| | C | 2 | 17 | 300.0 | - 318.0 | 302.1 | N/Q | 546 | - 578 | 549 | 1350 | - 1558 | 1374 | |
| | RS | C | 3 | 47 | 310.0 | - 330.0 | 320.3 | 5 | - | - | - | 1302 | - 1485 | 1433 |
| | FD | C | 4 | 7 | 270.0 | - 340.0 | 286.3 | -20 | - | - | - | 1215 | - 1768 | 1336 |
| | C | 4 | 51 | 312.0 | - 316.0 | 314.2 | 29 | 567 | - 575 | 571 | 1310 | - 1327 | 1320 | |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | | |
|------------------------|-------------|--------------|-----------|-------------|------------------|--------------|-------|--------|-------------------------------|------------|------------|-------------------|------------|-------------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg | |
| | RS | C | 4 | 24 | 325.0 | - 330.0 | 329.4 | N/Q | - | | | | 1386 | - 1788 | 1436 |
| | | | | 1831 | 258.0 | 414.0 | | | | 469 | 640 | | 518 | 1788 | |
| Yearling Heifer | | | | | | | | | | | | | | | |
| 200-280 | RS | C | 2 | 73 | 300.0 | - 332.0 | 318.0 | 47 | - | | | | 830 | - 851 | 837 |
| | FD | C | 3 | 70 | 314.0 | - 326.0 | 322.7 | 35 | - | | | | 691 | - 717 | 710 |
| | RS | C | 3 | 164 | 280.0 | - 336.0 | 309.1 | -8 | - | | | | 616 | - 941 | 774 |
| 280-330 | RS | C | 2 | 7 | 272.0 | - 320.0 | 285.7 | N/Q | - | | | | 870 | - 1024 | 914 |
| | RS | C | 3 | 218 | 288.0 | - 320.0 | 314.9 | 28 | - | | | | 922 | - 1024 | 982 |
| | FD | C | 3 | 51 | 260.0 | - 302.0 | 278.5 | -17 | - | | | | 832 | - 915 | 864 |
| 330-400 | RS | C | 2 | 12 | 286.0 | - 352.0 | 319.0 | N/Q | - | | | | 972 | - 1197 | 1085 |
| | FD | C | 3 | 76 | 320.0 | - 326.0 | 324.2 | 44 | - | | | | 1088 | - 1108 | 1102 |
| | RS | C | 3 | 89 | 286.0 | - 316.0 | 310.8 | 34 | - | | | | 1001 | - 1201 | 1156 |
| | FD | C | 4 | 65 | 278.0 | - 320.0 | 297.4 | -9 | - | | | | 1001 | - 1152 | 1071 |
| | | C | 4 | 58 | 260.0 | - 260.0 | 260.0 | N/Q | 482 | - 482 | 482 | | 1040 | - 1040 | 1040 |
| 400+ | RS | C | 3 | 11 | 282.0 | - 282.0 | 282.0 | -36 | - | | | | 1184 | - 1184 | 1184 |
| | | C | 3 | 15 | 260.0 | - 260.0 | 260.0 | -10 | 482 | - 482 | 482 | | 1222 | - 1222 | 1222 |
| | RS | C | 4 | 28 | 268.0 | - 268.0 | 268.0 | -5 | - | | | | 1286 | - 1286 | 1286 |
| | FD | C | 4 | 55 | 258.0 | - 277.0 | 266.4 | -7 | - | | | | 1161 | - 1247 | 1199 |
| | | | | 992 | 258.0 | 352.0 | | | | 482 | 482 | | 616 | 1286 | |
| Grown Steer | | | | | | | | | | | | | | | |
| 0-400 | FD | C | 3 | 93 | 255.0 | - 282.0 | 274.0 | N/C | - | | | | 867 | - 980 | 949 |
| | RS | C | 3 | 39 | 254.0 | - 320.0 | 276.8 | N/Q | - | | | | 896 | - 991 | 950 |
| | | C | 4 | 18 | 270.0 | - 270.0 | 270.0 | N/Q | 491 | - 491 | 491 | | 918 | - 918 | 918 |
| 400-500 | | C | 2 | 4 | 272.0 | - 272.0 | 272.0 | N/Q | 486 | - 486 | 486 | | 1224 | - 1224 | 1224 |
| | | C | 3 | 11 | 264.0 | - 264.0 | 264.0 | N/Q | 480 | - 480 | 480 | | 1267 | - 1267 | 1267 |
| | FD | C | 3 | 11 | 260.0 | - 260.0 | 260.0 | -42 | - | | | | 1248 | - 1248 | 1248 |
| | | C | 4 | 27 | 258.0 | - 258.0 | 258.0 | N/Q | 469 | - 469 | 469 | | 1238 | - 1238 | 1238 |
| 500-600 | | C | 4 | 23 | 260.0 | - 312.0 | 291.7 | 31 | 473 | - 567 | 530 | | 1456 | - 1622 | 1557 |
| | RS | C | 4 | 23 | 294.0 | - 294.0 | 294.0 | N/Q | - | | | | 1529 | - 1529 | 1529 |
| 750+ | | C | 4 | 3 | 244.0 | - 244.0 | 244.0 | N/Q | 444 | - 444 | 444 | | 2050 | - 2050 | 2050 |
| | | | | 252 | 244.0 | 320.0 | | | | 444 | 567 | | 867 | 2050 | |
| Cows | | | | | | | | | | | | | | | |
| 0-400 | | D | 2 | 21 | 200.0 | - 217.0 | 201.6 | N/Q | 408 | - 443 | 412 | | 608 | - 780 | 764 |
| | | D | 3 | 19 | 220.0 | - 220.0 | 220.0 | N/Q | 449 | - 449 | 449 | | 616 | - 616 | 616 |
| | | D | 4 | 9 | 230.0 | - 230.0 | 230.0 | N/Q | 469 | - 469 | 469 | | 644 | - 644 | 644 |
| 400-520 | | D | 2 | 32 | 188.0 | - 214.0 | 207.2 | N/Q | 384 | - 437 | 423 | | 846 | - 1092 | 1006 |
| | | D | 3 | 215 | 205.0 | - 235.0 | 221.9 | N/Q | 418 | - 480 | 453 | | 941 | - 1128 | 1040 |
| | | D | 4 | 106 | 155.0 | - 236.0 | 227.4 | N/Q | 304 | - 482 | 459 | | 775 | - 1217 | 1171 |
| 520+ | | D | 4 | 24 | 232.0 | - 236.0 | 232.8 | N/Q | 455 | - 482 | 461 | | 1230 | - 2006 | 1391 |
| | | | | 426 | 155.0 | 236.0 | | | | 304 | 482 | | 608 | 2006 | |
| Bulls | | | | | | | | | | | | | | | |
| 0-450 | RS | C | 2 | 50 | 242.0 | - 338.0 | 311.4 | N/Q | - | | | | 744 | - 1089 | 867 |
| | | C | 2 | 1 | 270.0 | - 270.0 | 270.0 | N/Q | 482 | - 482 | 482 | | 945 | - 945 | 945 |
| | FD | C | 2 | 15 | 272.0 | - 272.0 | 272.0 | 18 | - | | | | 1006 | - 1006 | 1006 |
| | RS | C | 3 | 79 | 266.0 | - 328.0 | 275.1 | -4 | - | | | | 590 | - 1242 | 1082 |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|-----------------|-------------|--------------|-----------|------------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|-------------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| 600+ | | C | 3 | 16 | 236.0 | - 270.0 | 261.5 | 13 | 421 | - 482 | 467 | 566 | - 810 | 749 |
| | | C | 3 | 1 | 237.0 | - 237.0 | 237.0 | N/Q | 423 | - 423 | 423 | 1778 | - 1778 | 1778 |
| | | D | 3 | 2 | 258.0 | - 258.0 | 258.0 | N/Q | 461 | - 461 | 461 | 2193 | - 2193 | 2193 |
| | | | | 164 | 236.0 | 338.0 | | | 421 | 482 | | 566 | 2193 | |

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2017. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.