

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Roma Store

report date 15 Aug 2017

Yarding Change <sup>6382</sup>  
1596

comparison date 08/08/2017

There was a yarding of 6,382 head today at Roma Store Sale, up 1,600 head on last week. Cattle were of good quality for those who still have oats in the paddock or feed as the gap widens for those hanging on for Spring rain. All buyers were present and operating in an easier market on last week.

Yearling steers made to a top of 356.2c to average 344c/kg. Feedlot entry weight steers made to a top of 340c to average 307c/kg. 4 to 6 tooth steers to slaughter made to a top of 318.2c to average 255c/kg. Young bulls to the restockers made to 298.2c to average 281c/kg. Bulls over 450kg made to 256c to average 250c/kg.

Yearling Heifers topped at 308c to average 253c and grown heifers topped at 256c to average 235c/kg. The cow market took the biggest hit struggling at times break the \$2 barrier topping at 237c to average 189c/kg. Cows with calves at foot topped at \$970/unit.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
80+	RS	C	2	44	316.0	- 316.0	316.0	N/Q	-	-	-	474	- 474	474
				<b>44</b>	<b>316.0</b>	<b>316.0</b>			<b>0</b>	<b>0</b>		<b>474</b>	<b>474</b>	
<b>Yearling Steer</b>														
0-200	FD	B	2	47	344.0	- 344.0	344.0	N/Q	-	-	-	688	- 688	688
	RS	C	2	11	316.0	- 326.0	317.8	-25	-	-	-	632	- 652	636
200-280	RS	C	2	1564	256.0	- 349.0	317.8	-17	-	-	-	607	- 913	792
	FD	C	2	173	288.0	- 356.0	332.6	1	-	-	-	691	- 893	828
	RS	C	3	175	255.0	- 354.0	326.5	9	-	-	-	638	- 991	873
	FD	C	3	53	264.0	- 316.0	291.3	-12	-	-	-	660	- 740	714
280-330	RS	C	2	54	294.0	- 340.0	304.9	-10	-	-	-	882	- 1020	946
	FD	C	3	121	280.0	- 312.0	296.8	N/Q	-	-	-	888	- 936	897
	RS	C	3	39	310.0	- 330.0	320.3	20	-	-	-	992	- 1056	1025
330-400	RS	C	2	2	294.0	- 294.0	294.0	N/Q	-	-	-	1117	- 1117	1117
	RS	C	3	10	278.0	- 278.0	278.0	N/Q	-	-	-	1112	- 1112	1112
	FD	C	3	44	298.0	- 318.0	312.1	7	-	-	-	1081	- 1162	1105
400+	FD	C	2	25	276.0	- 298.0	296.2	-10	-	-	-	1159	- 1341	1326
	RS	C	3	40	266.0	- 316.0	301.4	11	-	-	-	1251	- 1359	1321
	FD	C	3	50	285.0	- 288.0	285.6	-14	-	-	-	1283	- 1311	1298
	FD	C	4	75	245.0	- 296.0	277.5	N/Q	-	-	-	1238	- 1480	1342
				<b>2483</b>	<b>245.0</b>	<b>356.0</b>			<b>0</b>	<b>0</b>		<b>607</b>	<b>1480</b>	
<b>Yearling Heifer</b>														
0-200	RS	C	2	81	226.0	- 286.0	256.5	-16	-	-	-	452	- 572	513
		C	2	8	234.0	- 234.0	234.0	-38	433	- 433	433	468	- 468	468
200-280		C	2	171	180.0	- 274.0	254.7	-10	333	- 507	472	414	- 767	662
	FD	C	2	199	225.0	- 250.0	233.7	-26	-	-	-	630	- 700	654
	RS	C	2	630	202.0	- 290.0	259.0	-19	-	-	-	506	- 756	639
	RS	C	3	18	250.0	- 250.0	250.0	-24	-	-	-	700	- 700	700

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	FD	C	3	12	262.0	- 262.0	262.0	N/Q	-			734	- 734	734
		C	3	8	222.0	- 222.0	222.0	-10	411	- 411	411	555	- 555	555
		C	2	33	180.0	- 230.0	218.8	29	333	- 426	405	540	- 690	648
		FD	C	2	30	250.0	- 264.0	257.9	N/Q	-		792	- 800	795
		RS	C	2	18	202.0	- 202.0	202.0	-61	-		606	- 606	606
		RS	C	3	3	230.0	- 230.0	230.0	-16	-		736	- 736	736
400+	FD	C	3	10	308.0	- 308.0	308.0	N/Q	-		924	- 924	924	
		C	3	28	190.0	- 250.0	236.0	-9	352	- 463	437	551	- 725	684
	FD	C	3	11	242.0	- 242.0	242.0	N/Q	-		1162	- 1162	1162	
					<b>1260</b>	<b>180.0</b>	<b>308.0</b>		<b>333</b>	<b>507</b>		<b>414</b>	<b>1162</b>	
	<b>Grown Steer</b>													
0-400	FD	C	2	10	202.0	- 202.0	202.0	N/Q	-		586	- 586	586	
	RS	C	3	34	318.0	- 318.0	318.0	32	-		1240	- 1240	1240	
	FD	C	3	19	244.0	- 244.0	244.0	N/Q	-		683	- 683	683	
400-500	RS	C	3	39	290.0	- 314.0	308.9	69	-		1305	- 1570	1526	
		C	3	2	240.0	- 240.0	240.0	N/Q	436	- 436	436	1080	- 1080	1080
		C	4	29	244.0	- 250.0	245.2	N/Q	444	- 455	446	1176	- 1200	1193
500-600		C	3	5	230.0	- 230.0	230.0	-23	418	- 418	418	1265	- 1265	1265
600-750		D	4	2	255.0	- 255.0	255.0	N/Q	464	- 464	464	1658	- 1658	1658
					<b>140</b>	<b>202.0</b>	<b>318.0</b>		<b>418</b>	<b>464</b>		<b>586</b>	<b>1658</b>	
<b>Grown Heifer</b>														
0-540		C	3	20	199.0	- 252.0	247.5	64	369	- 467	458	685	- 896	714
	FD	C	3	11	190.0	- 190.0	190.0	N/Q	-		912	- 912	912	
	RS	C	3	3	256.0	- 256.0	256.0	68	-		1152	- 1152	1152	
	FD	C	4	12	240.0	- 240.0	240.0	N/Q	-		672	- 672	672	
					<b>46</b>	<b>190.0</b>	<b>256.0</b>		<b>369</b>	<b>467</b>		<b>672</b>	<b>1152</b>	
<b>Cows</b>														
400-520	RS	C	3	4	144.0	- 144.0	144.0	N/Q	-		605	- 605	605	
		C	3	32	138.0	- 195.0	142.3	-24	282	- 398	290	580	- 819	598
	RS	D	3	63	120.0	- 176.0	160.4	-29	-		540	- 816	755	
		D	3	454	132.0	- 237.0	182.2	-2	269	- 465	370	594	- 1067	846
		D	4	186	133.0	- 213.0	190.5	-14	271	- 418	376	599	- 1108	967
520+		D	4	16	195.0	- 212.0	207.8	-3	382	- 416	407	1268	- 1378	1350
					<b>755</b>	<b>120.0</b>	<b>237.0</b>		<b>269</b>	<b>465</b>		<b>540</b>	<b>1378</b>	
<b>Bulls</b>														
0-450	RS	C	2	29	282.0	- 286.0	284.1	-34	-		620	- 801	714	
		C	3	8	226.0	- 264.0	230.8	-5	404	- 471	412	949	- 1188	979
	FD	C	3	5	260.0	- 260.0	260.0	-10	-		1170	- 1170	1170	
	RS	C	3	8	298.0	- 298.0	298.0	-3	-		745	- 745	745	
		D	3	28	232.0	- 296.0	275.4	N/Q	414	- 529	492	1044	- 1332	1239
450-600		C	3	6	256.0	- 256.0	256.0	3	457	- 457	457	1408	- 1408	1408
600+		C	3	33	227.0	- 255.0	238.9	2	405	- 455	427	1476	- 1913	1651
					<b>117</b>	<b>226.0</b>	<b>298.0</b>		<b>404</b>	<b>529</b>		<b>620</b>	<b>1913</b>	

**Abbreviations**

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

**Disclaimer:**

© MLA 2017. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.